

VENKATRAMNA INDUSTRIES

Manufacturer & Exporter of All kinds of Oils, i.e.: Natural & Organic Essential Oil, Attars, Perfumes, Absolutes & Flore Waters, Spice Oils and Peppermint Products

An ISO 9001:2008 & ISO 22000:2005 Certified Company IEC No.: 0611008513 GST No.: 09AVOPS2676K1ZN Manufacturing Plant.: Talaya Chauki, Kannauj-209725, India Corporate Office.: C1-310, MIG Indira Nagar, Kanpur-208026, India



Page 1 of 6

MATERIAL SAFETY DATASH	HEET
Date of Issue: 20/01/2020	Document No: VRI/MSDS/01-163
Revision Date: 11/07/2020	Revision No: 01

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION & THE COMPANY/UNDERTAKING

Prod	uct Name			Bitter Orange Essential Oil			
Biological Definition			Citrus Aurantium Amara Peel Extract is an extract of the peel of the Bitter Orange, Citrus aurantium L. var. amara L., Rutaceae				
INCI	Name			Citrus aurantium			
Syno	nyms & Trade Nam	ies		Neroli Essential oil, Petitgrain Essential Oil			
CAS-I	No	68916-04-1 72968-50-4	/	EC No.	277-143-2	EINECS No.	N/A
1.2 Relative identified uses of the substance or mixture and uses advised against							
Industrial uses. Formulation [mixing] of preparations. Uses advised against: Other uses than those recommended.							
1.3 Details of the supplier of the safety data sheet							
VENKATRAMNA INDUSTRIES, Talaya Chauki, Kannauj-209725, (UP) INDIA							
1.4	Emergency Tel.	No.	1	+91-955407	5786		

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or m	lixture		
Classification according to the Regulation (EC) No 1272/2008.			
Sensitization — Skin, Hazard Category 1; H317.			
2.2 Label Elements			
Signal Word	Warning		
Hazard Statements			
H317: May cause an allergic skin reaction.			
H341 Suspected of causing genetic defects.			
H351 Suspected of causing cancer.			
H411 Toxic to aquatic life with long lasting effects.			
Precautionary Statements			
P102 - Keep out of the reach of children.			
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.			
P280: Wear protective gloves. P302+P352: IF C	DN SKIN: Wash with plenty of water.		

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P362+P364: Take off contaminated clothing and wash it before reuse.
P501: Dispose of contents/container to an approved waste disposal plant.
Supplementary Precautionary Statements

2.3 Other Hazards

May cause skin irritation/allergy. Patch test recommended.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Substances

Citrus Oil 100% by weight

4. FIRST AID MEASURES

4.1 Descripti	on of first aid measures	
Inhalation	Remove person to fresh air and keep at rest	
Ingestion	If swallowed, rinse mouth with water. Seek medical advice immediately and show this container or label. Do NOT induce vomiting.	
Skin Contact	Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.	
Eye Contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.	
4.2 Most imp	portant symptoms and effects, both acute and delayed	
Skin Contact: Rep	cause eye irritation and corneal damage if not immediately rinsed out. eated contact may cause allergic dermatitis. ning high concentrations of vapor may cause anesthetic effects. Induce vomiting.	
4.3 Indication of any immediate medical attention and special treatment needed		
Immediate medic	al assistance : see point 4.1	
Immediate / spec	ial treatment : see point 4.1	
First aid specific n	neans: eye wash fountain, safety shower should be available in the work area.	

5. FIRE-FIGHTING MEASURES

5.1	Extinguishing Media
	Carbon dioxide, dry chemical powder or appropriate foam. For safety reasons do not use full water jet
5.2	Special hazards arising from the product
	Vapours may form explosive mixture with air – in case of fire, the following can be released: Carbon monoxide, Carbon dioxide, smoke, soot.
5.3	Advice for firefighters
	Use chemical protection clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures		
	For non emergency personnel: in an emergency (i.e. unintentional important release of the product in enclosed space) respiratory protection (Gas filter A, Colour code brown: consider the maximum duration for wear)must be worn. Use insulating device for respiratory protection with an independent air supply in circumstances which are unclear - use adequate protections solvent resistant: security shoes, bodysuit, gloves and protective goggles (see point 8). For emergency responders: as per non emergency personnel. Emergency procedures: remove any ignition source and ensure adequate ventilation in working areas following accidental releases.		
6.2	Environmental Precautions		
	Avoid contaminating the environment via the sewers or water sources.		
6.3	Methods and material for containment and cleaning up.		
	Keep away from heat and use non-combustible absorbing sawdust (sand, specific binder). Refer to point 13 for the appropriate methods of waste treatment.		
6.4	Reference to other sections		
	See also sections 8 and 13.		
18			

7. HANDLING AND STORAGE

7.1	Precautions for safe handling
	Keep away from food, drink and animal feeding stuffs. Do not smoke. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice.
7.2	Conditions for safe storage, including any incompatibilities
	Keep the product in its original container well sealed, in a dry and ventilated area, away from potential sources of ignition and protected from light. Store in accordance with local/national regulations and follow the warnings on the label.
7.3	Specific end use(s)
	Use as odor agent / flavoring agent - the information of this section are not related to the use of the product in combination with any other material or any other process altering its characteristics.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters
Declaration of substances is not required
8.2 Exposure controls
Protective Equipment
Process Conditions Provide eyewash station.

Engineering Measures	Provide adequate ventilation.	
Respiratory Equipment	For high concentrations use respiratory equipment.	
Hand Protection	Chemical resistant gloves (PVC)	
Eye Protection	Wear approved safety goggles.	
Other Protection	Wear appropriate clothing to prevent any possibility of skin contact.	
Hygiene Measures	Good personal hygiene practices are always advisable, especially when working with chemicals / oils.	
Personal Protection	Use personal protection according to Directive 89/686/EEC.	
Skin Protection	Wear apron or protective clothing in case of splashes.	
Environmental Exposure Controls	Avoid discharging into drainage water. Only eliminate by authorized companies.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear Liquid
Colour	Pale Yellowish Orange
Odour	Citrus
Relative Density	0.863 - 0.873 g/cm ³ (20 °C)
Flash Point (°C)	57 °C
Refractive Index	1.425 - 1.470 (20 °C)
Melting Point (°C)	No additional data available
Boiling Point (°C)	No additional data available
Vapour Pressure	No additional data available
Solubility in Water @20°C	Insoluble in water.
Auto-ignition temperature (°C)	No additional data available
9.2 Other information	

No additional data available.

10. STABILITY AND REACTIVITY

10.1	Reactivity
	No dangerous reactions known.
10.2	Chemical stability
	Stable under normal operating conditions.
10.3	Possible hazardous reactions
	Hazardous Polymerization: It does not undergo any dangerous reactions under normal conditions.
10.4	Conditions to Avoid
	Heat, flames and other sources of ignition. No special precautions other than good housekeeping of chemicals.
10.5	Incompatible materials
	Oxidizing mineral acids, strong reducing agents, strong oxidizing agents.
10.6	Hazardous Decomposition Products

Carbon monoxide and other unidentified organic compounds may be formed upon combustion.

11. TOXOLOGICAL INFORMATION

Acute Toxicity	This substance does not meet the criteria for classification in accordance
	with Regulation (EC) No 1272/2008
Skin corrosion / irritation	May be irritating to skin
Serious eye damage / irritation	May be irritating to eyes. Prompt rinsing and removal of the substance will avoid damage.
Respiratory or skin sensitization	Breathing high concentrations of vapor may cause anesthetic effects.
Germ Cell Mutagenicity	Not listed as mutagenic
Carcinogenicity	Not listed as carcinogenic
Reproductive toxicity	Not listed as reprotoxic
STOT-single exposure	No data available
STOT-repeated exposure	No data available
Aspiration hazard	Not Specified
Photo-toxicity	Not listed as photo-toxic
Other Information	No additional data available
11.2 Information on the likely route	es of exposure
Skin/scalp contact.	
11.3 Symptoms related to the phys	ical, chemical, and toxicological characteristics
None known. Irritation of the eye if ex	posed. Redness of the skin if irritated
11.4 Delayed and immediate effect	s and chronic effects from short-term and long-term exposure
No Data Available	

12. ECOLOGICAL INFORMATION

40.4	
171	Toxicity
	TUNICITY

Aquatic life: hazard statement: H410 very toxic to aquatic life with long lasting effects. Algae/aquatic plants: EC50 6.2 mg/l (48h) calculated value [source RIFM]. Fish/aquatic invertebrates: No additional data available. PNECs: No additional data available.

12.2 Persistence & degradability

This substance to be considered as a readily biodegradable substance; based on its ready biodegradability, oil does not fulfil the criteria for persistence.

12.3 Bioaccumulation Potential

Hazard statement: H410 very toxic to aquatic life with long lasting effects.

12.4 Mobility in soil

This substance is considered as a readily biodegradable NCS. Based on the ready biodegradability of the NCS, simulation tests in surface water, sediment and soil are not required in accordance with column 2 of REACh Annex IX.

12.5 Results of PBT and vPvB Assessment

No data available

12.6 Other adverse effects

Do not allow product to enter streams, sewers or other waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Containers must be disposed of as hazardous waste. Do not reuse empty containers. Dilute the remaining material and neutralise. Empty residue into a suitable disposal site. Dispose of in accordance with all state and local environmental regulations. This material and its container must be disposed of in a safe way.

14. TRANSPORT INFORMATION

14.1	UN number		
	UN No. Road	1169	
ji.	UN No. SEA	1169	
	UN No. AIR	1169	
14.2	4.2 UN proper shipping name		
	Extracts, aromatic, liquid		
14.3 Transport hazard class(es)		es)	
	ADR/RID/ADN Not regulate	d for transport	
	ADR/RID/ADN Class - 3 IMDG Class - 3 ICAO Class/Division - 3		
14.4	1.4 Packing group		
	ADR/RID/ADN Packing group -3 IMDG Packing group - 3 ICAO Packing group - 3		
14.5	5 Environmental hazards		
	Do not allow to escape into environment, especially not into waterways, sewers or the sea.		
14.6	14.6 Special precautions for user		
	EMS: Not allocated Emergency Action Code: Not Hazard No. (ADR): Not alloc Tunnel Restriction Code (E)	ated	
14.7	Transport in bulk accordin	g to Annex II of MARPOL 73/78° and IBC Code	
	N/A		

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). **Guidance Notes**

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2 Chemical safety assessment No additional information available.

16. OTHER INFORMATION

H226 flammable liquid and vapour.
H304 may be fatal if swallowed and enters airways.
H315 causes skin irritation.
H317 may cause an allergic skin reaction.
H410 very toxic to aquatic life with long lasting effects.
None found
H H

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Mail.: info@vriaroma.com Web.: www.vriaroma.com Mob & Whatsapp.: +91-9554075786