

VENKATRAMNA INDUSTRIES

Manufacturer & Exporter of All kinds of Oils, i.e.: Natural & Organic Essential Oil, Attars, Perfumes, Absolutes & Flore Waters, Spice Oils and Peppermint Products

An ISO 9001:2008 & ISO 22000:2005 Certified Company IEC No.: 0611008513 GST No.: 09AVOPS2676K1ZN Manufacturing Plant.: Talaya Chauki, Kannauj-209725, India Corporate Office.: C1-310, MIG Indira Nagar, Kanpur-208026, India



Page 1 of 6

| MATERIAL SAFETY DATASHEET | |
|---------------------------|------------------------------|
| Date of Issue: 20/01/2020 | Document No: VRI/MSDS/01-036 |
| Revision Date: 11/07/2020 | Revision No: 01 |

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION & THE COMPANY/UNDERTAKING

| Product Name | | Cedarwood,At | Cedarwood, Atlas-Organic | | | |
|------------------------|---|---|--------------------------|---------------------------|---------------------|------------------|
| Biological Definition | | "Cedarwood Oil (Atlas or Moroccan)". Cedrus Atlantica Wood Olis is an essential oil obtained from the wood of the tree, Cedrus atlantica, Pinaceae. | | | | |
| INCI | Name | | Cedrus Atlantic | Cedrus Atlantica Wood Oil | | |
| Synonyms & Trade Names | | | | N N | | |
| CAS-I | No | 92201-55-3 | EC No. | 295-985-9 | EINECS No. | N/A |
| 1.2 | 2 Relative identified uses of the substance or mixture and uses advised against | | | | | |
| Indus | strial uses. Formula | tion [mixing] of pr | eparations. Uses | advised against: | Other uses than the | ose recommended. |
| 1.3 | Details of the supplier of the safety data sheet | | | | | |
| VEN | KATRAMNA INDUS | TRIES, Talaya Cha | uki, Kannauj-2097 | 725, (UP) INDIA | | |
| 1.4 | Emergency Tel. | No. | +91-955407 | 75786 | | |

2. HAZARDS IDENTIFICATION

| 2.1 Classification of the substance or mixture | | |
|---|-------------------------------------|--|
| Classification according to the Regulation (EC) Sensitization — Skin, Hazard Category 1; H317 | | |
| 2.2 Label Elements | | |
| Signal Word | Warning | |
| | Enter of the | |
| Hazard Statements | | |
| H317: May cause an allergic skin reaction. | | |
| Precautionary Statements | | |
| P102 - Keep out of the reach of children. P261: Avoid breathing dust/fume/gas/mist/va P280: Wear protective gloves. P302+P352: IF C P333+P313: If skin irritation or rash occurs: Ge | DN SKIN: Wash with plenty of water. | |

| P362+P364: Take off contaminated clothing and wash it before reuse. P501: Dispose of contents/container to an approved waste disposal plant. |
|---|
| Supplementary Precautionary Statements |
| |
| 2.3 Other Hazards |
| May cause skin irritation/allergy. Patch test recommended. |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Substances | % By Weight | |
|---------------------|-------------|--|
| Atlas Cedarwood Oil | 100% | |

4. FIRST AID MEASURES

| A11 | | |
|--|--|--|
| 4.1 Descript | ion of first aid measures | |
| Inhalation | Remove person to fresh air and keep at rest | |
| Ingestion | If swallowed, rinse mouth with water. Seek medical advice immediately and show this container or label. Do NOT induce vomiting. | |
| Skin Contact | Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention. | |
| Eye Contact | First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor. | |
| 4.2 Most im | portant symptoms and effects, both acute and delayed | |
| Skin Contact: Rep Inhalation: Breat | v cause eye irritation and corneal damage if not immediately rinsed out. Deated contact may cause allergic dermatitis. hing high concentrations of vapor may cause anesthetic effects. t Induce vomiting. | |
| | on of any immediate medical attention and special treatment needed | |
| | onal data available | |

5. FIRE-FIGHTING MEASURES

| 5.1 | Extinguishing Media |
|-----|---|
| | Carbon dioxide, dry chemical powder or appropriate foam. For safety reasons do not use full water jet |
| 5.2 | Special hazards arising from the product |
| | None known |
| 5.3 | Advice for firefighters |
| | In case of fire in the surrounding area, follow the recommendations below: |
| | 1-Closed containers may build up pressure at elevated temperatures. |
| | 2-Avoid inhalation of fumes or vapours. Use appropriate respiratory protection. |
| | 3-Prevent run-off from fire fighting to enter drains or water courses. |

6. ACCIDENTAL RELEASE MEASURES

| 6.1 | Personal precautions, protective equipment and emergency procedures | |
|-----|---|--|
| | Wear appropriate gloves to prevent skin exposure. Avoid contact with skin and inhalation of its vapours or smoke. Maintain adequate ventilation in the working area after spilling. | |
| 6.2 | Environmental Precautions | |
| | Avoid contaminating the environment via the sewers or water sources. | |
| 6.3 | Methods and material for containment and cleaning up. | |
| | Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash). Ventilate area and wash spill site after material pickup is complete. Dispose of in accordance with current laws and regulations. | |
| 6.4 | Reference to other sections | |
| | See also sections 8 and 13. | |

7. HANDLING AND STORAGE

| 7.1 | Precautions for safe handling |
|-----|---|
| | Keep away from food, drink and animal feedingstuffs. Do not smoke. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. |
| 7.2 | Conditions for safe storage, including any incompatibilities |
| | Keep the product in its original container well sealed, in a dry and ventilated area, away from potential sources of ignition and protected from light. Store in accordance with local/national regulations and follow the warnings on the label. |
| 7.3 | Specific end use(s) |
| | No additional data available. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| 8.1 Control parameter | S |
|-----------------------------|---|
| Declaration of substances i | s not required |
| 8.2 Exposure controls | |
| Protective Equipment | |
| | |
| Process Conditions | Provide eyewash station. |
| Engineering Measures | Provide adequate ventilation. |
| Respiratory Equipment | For high concentrations use respiratory equipment. |
| Hand Protection | Chemical resistant gloves (PVC) |
| Eye Protection | Wear approved safety goggles. |
| Other Protection | Wear appropriate clothing to prevent any possibility of skin contact. |

| Hygiene Measures | Good personal hygiene practices are always advisable, especially when working with chemicals / oils. |
|------------------------------------|--|
| Personal Protection | Use personal protection according to Directive 89/686/EEC. |
| Skin Protection | Wear apron or protective clothing in case of splashes. |
| Environmental Exposure Controls | Avoid discharging into drainage water. Only eliminate by authorized companies. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | Viscous Liquid |
|-----------------------------------|------------------------------|
| Color | Pale yellow to brown |
| Odor | Woody Earthy, Sweet, Warm |
| Relative Density | Not specified |
| Flash Point (°C) | > 100 °C |
| Refractive Index | 1.508 - 1.515(20 °C) |
| Melting Point (°C) | No additional data available |
| Boiling Point (°C) | No additional data available |
| Vapour Pressure | No additional data available |
| Solubility in Water @20°C | Insoluble in water. |
| Auto-ignition temperature (°C) | No additional data available |
| 9.2 Other information | |
| No additional data av | vailable. |

10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reactions known.

10.2 Chemical stability

Stable under normal operating conditions.

10.3 Possible hazardous reactions

Hazardous Polymerization: It does not undergo any dangerous reactions under normal conditions.

10.4 Conditions to Avoid

Heat, flames and other sources of ignition. No special precautions other than good housekeeping of chemicals.

10.5 Incompatible materials

Oxidizing mineral acids, strong reducing agents, strong oxidizing agents.

10.6 Hazardous Decomposition Products

Carbon monoxide and other unidentified organic compounds may be formed upon combustion.

11. TOXOLOGICAL INFORMATION

| Acute Toxicity | This substance does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008 |
|---|--|
| Skin corrosion / irritation | May be irritating to skin |
| Serious eye damage / irritation | May be irritating to eyes. Prompt rinsing and removal of the substance will avoid damage. |
| Respiratory or skin sensitization | Breathing high concentrations of vapor may cause anesthetic effects. |
| Germ Cell Mutagenicity | Not listed as mutagenic |
| Carcinogenicity | Not listed as carcinogenic |
| Reproductive toxicity | Not listed as reprotoxic |
| STOT-single exposure | No data available |
| STOT-repeated exposure | No data available |
| Aspiration hazard | Not Specified |
| Photo-toxicity | Not listed as photo-toxic |
| Other Information | No additional data available |
| 11.2 Information on the likely route | es of exposure |
| Skin/scalp contact. | |
| 11.3 Symptoms related to the phys | ical, chemical, and toxicological characteristics |
| None known. Irritation of the eye if ex | posed. Redness of the skin if irritated |
| 11.4 Delayed and immediate effect | s and chronic effects from short-term and long-term exposure |
| No Data Available | |

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Acute fish toxicity: LC50 / 96 HOUR – No data available Toxicity to aquatic plants – No data available Toxicity to microorganisms – No data available Toxicity threshold – No data available

12.2 Persistence & degradability

No data available

12.3 Bioaccumulation Potential

No data available

12.4 Mobility in soil

Not determined

12.5 Results of PBT and vPvB Assessment

No data available

12.6 Other adverse effects

Do not allow product to enter streams, sewers or other waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Containers must be disposed of as hazardous waste. Do not reuse empty containers. Dilute the remaining material and neutralise. Empty residue into a suitable disposal site. Dispose of in accordance with all state and local environmental regulations. This material and its container must be disposed of in a safe way.

14. TRANSPORT INFORMATION

| 14.1 | UN number | | |
|--------|--|---|--|
| | UN No. Road | Not regulated for transport | |
| | UN No. SEA | Not regulated for transport | |
| | UN No. AIR | Not regulated for transport | |
| 14.2 | 2 UN proper shipping name | | |
| | Not classified | | |
| 14.3 | Transport hazard class(| | |
| | ADR/RID/ADN Not regulate | d for transport | |
| A | ADR/RID/ADN Class | | |
| | IMDG Class ICAO Class/Division | | |
| 14.4 | | | |
| 17.7 | | p Not regulated for transport | |
| | IMDG Packing group | p not offension of manipole | |
| | ICAO Packing group | | |
| 14.5 | Environmental hazards | | |
| ¥ | Do not allow to escape into environment, especially not into waterways, sewers or the sea. | | |
| 14.6 | Special precautions for | user | |
| \sim | EMS: Not allocated | | |
| | Emergency Action Code: No | | |
| | Hazard No. (ADR): Not alloc | | |
| 1/1 7 | Tunnel Restriction Code (E) | g to Annex II of MARPOL 73/78° and IBC Code | |
| 14.7 | N/A | | |
| | | | |

15. REGULATORY INFORMATION

| 15.1 | Safety, health and environmental regulations/legislation specific for the substance or mixture | |
|---------------|--|--|
| Not available | | |
| 15.2 | Chemical safety assessment | |
| | No additional information available. | |

16. OTHER INFORMATION

| Hazard and/or Precautionary Statements in Full | H317: May cause an allergic skin reaction. |
|---|--|
| Other Information | None found |

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

