

VENKATRAMNA INDUSTRIES

Manufacturer & Exporter of All kinds of Oils, i.e.: Natural & Organic Essential Oil, Attars, Perfumes, Absolutes & Flore Waters, Spice Oils and Peppermint Products

An ISO 9001:2008 & ISO 22000:2005 Certified Company IEC No.: 0611008513 GST No.: 09AVOPS2676K1ZN Manufacturing Plant.: Talaya Chauki, Kannauj-209725, India Corporate Office.: C1-310, MIG Indira Nagar, Kanpur-208026, India



Page 1 of 6

| MATERIAL SAFETY DATASHEET | | |
|---------------------------|------------------------------|--|
| Date of Issue: 20/01/2020 | Document No: VRI/MSDS/01-101 | |
| Revision Date: 11/07/2020 | Revision No: 01 | |

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION & THE COMPANY/UNDERTAKING

| Produ | ct Name | | Grapefruit Esse | Grapefruit Essential Oil White | | |
|---|--------------------|---------------------|--|--------------------------------|---------------------|------------------|
| Biological Definition | | • | "Grapefruit Oil Expressed; Shaddock Oil Expressed". Citrus Paradisi M. | | | |
| | | | Peel Oil is an essential oil expressed from the epicarps of the | | | |
| | P | | Grapefruit, Citrus paradisi M., Rutaceae. | | | |
| INCI N | lame | | Citrus Paradisi I | M. Peel Oil | | |
| Synon | yms & Trade Nam | ies | | | | |
| CAS-No 90045-43-5 | | EC No. | 289-904-6 | EINECS No. | N/A | |
| 1.2 Relative identified uses of the substance or mixture and uses advised against | | | | | | |
| ndust | rial uses. Formula | tion [mixing] of pr | eparations. Uses a | advised against: (| Other uses than the | ose recommended. |
| 1.3 Details of the supplier of the safety data sheet | | | | | | |
| VENK | ATRAMNA INDUS | TRIES, Talaya Chau | uki, Kannauj-2097 | 25, (UP) INDIA | | |
| 1.4 Emergency Tel. No. +91-9554075786 | | | | | | |

2. HAZARDS IDENTIFICATION

| 2.1 Classification of the sul | istance or mixture |
|------------------------------------|---|
| Classification according to the Re | gulation (EC) No 1272/2008. Sensitization — Skin, Hazard Category 1; H317 |
| 2.2 Label Elements | |
| Signal Word | Warning |
| | Te Essence All |
| Hazard Statements | |
| H317: May cause allergic skin rea | ction. |
| H320: Causes eye irritation. | |
| H412: Harmful to aquatic life wit | 1 long lasting effects. |
| Precautionary Statements | |
| P102: Keep out of the reach of ch | ildren. |
| | |
| P261: Avoid breathing dust/fume | /gas/mist/vapours/spray. |

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P370 + P378: In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction.
P403 + P235:Store in well-ventilated place. Keep cool.
P501: Dispose of contents/container to an approved waste disposal plant.
P264:Wash hands thoroughly after handling.
P302 + P352: IF ON SKIN: Wash with plenty of water/soap.
P362 + P364 :Take off contaminated clothing and wash it before reuse.
Supplementary Precautionary Statements

2.3 Other Hazards

May cause skin irritation/allergy. Patch test recommended.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| 3.1 | Substances | |
|-----|------------------------------------|--|
| | 100% Grapefruit Pink Essential Oil | |

4. FIRST AID MEASURES

| 4.1 Descript | ion of first aid measures |
|-------------------|--|
| Inhalation | Remove person to fresh air and keep at rest |
| Ingestion | If swallowed, rinse mouth with water. Seek medical advice immediately and show this container or label. Do NOT induce vomiting. |
| Skin Contact | Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention. |
| Eye Contact | First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor. |
| 4.2 Most im | portant symptoms and effects, both acute and delayed |
| Skin Contact: Rep | r cause eye irritation and corneal damage if not immediately rinsed out. Deated contact may cause allergic dermatitis. hing high concentrations of vapor may cause anesthetic effects. |
| Ingestion: Do No | t Induce vomiting. |
| 4.3 Indicatio | on of any immediate medical attention and special treatment needed |
| No additi | onal data available |

5. FIRE-FIGHTING MEASURES

| 5.1 | Extinguishing Media |
|-----|---|
| | Carbon dioxide, dry chemical powder or appropriate foam. For safety reasons do not use full water jet |
| 5.2 | Special hazards arising from the product |
| | None known |
| 5.3 | Advice for firefighters |
| | In case of fire in the surrounding area, follow the recommendations below: 1-Closed containers may build up pressure at elevated temperatures. |

2-Avoid inhalation of fumes or vapours. Use appropriate respiratory protection.3-Prevent run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

| 6.1 | Personal precautions, protective equipment and emergency procedures | | |
|-----|---|--|--|
| | Wear appropriate gloves to prevent skin exposure. Avoid contact with skin and inhalation of its vapours or smoke. Maintain adequate ventilation in the working area after spilling. | | |
| 6.2 | Environmental Precautions | | |
| | Avoid contaminating the environment via the sewers or water sources. | | |
| 6.3 | Methods and material for containment and cleaning up. | | |
| | Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash). Ventilate area and wash spill site after material pickup is complete. Dispose of in accordance with current laws and regulations. | | |
| 6.4 | Reference to other sections | | |
| | See also sections 8 and 13. | | |
| 79 | | | |

7. HANDLING AND STORAGE

| <u> </u> | | | |
|----------|---|--|--|
| 7.1 | Precautions for safe handling | | |
| | Keep away from food, drink and animal feedingstuffs. Do not smoke. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. | | |
| 7.2 | 2 Conditions for safe storage, including any incompatibilities | | |
| | Keep the product in its original container well sealed, in a dry and ventilated area, away from potential sources of ignition and protected from light. Store in accordance with local/national regulations and follow the warnings on the label. | | |
| 7.3 | Specific end use(s) | | |
| | No additional data available. | | |
| | | | |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| | A Character service and the service ser | |
|------------------------------|---|--|
| 8.1 Control parameters | 5 | |
| Declaration of substances is | s not required | |
| 8.2 Exposure controls | | |
| Protective Equipment | Protective Equipment | |
| | | |
| Process Conditions | Provide eyewash station. | |
| Engineering Measures | Provide adequate ventilation. | |
| Respiratory Equipment | For high concentrations use respiratory equipment. | |
| | | |

| Hand Protection | Chemical resistant gloves (PVC) |
|------------------------------------|--|
| Eye Protection | Wear approved safety goggles. |
| Other Protection | Wear appropriate clothing to prevent any possibility of skin contact. |
| Hygiene Measures | Good personal hygiene practices are always advisable, especially when working with chemicals / oils. |
| Personal Protection | Use personal protection according to Directive 89/686/EEC. |
| Skin Protection | Wear apron or protective clothing in case of splashes. |
| Environmental Exposure Controls | Avoid discharging into drainage water. Only eliminate by authorized companies. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| 9.1 Information on basic physical and chemical properties | | | |
|---|---|--|--|
| Appearance | Liquid | | |
| Colour | Reddish Orange | | |
| Odour | Characteristic | | |
| Relative Density | 0.879 to 0.892g/cm ³ (20 °C) | | |
| Flash Point (°C) | 51 °C | | |
| Refractive Index | 1.470 to 1.479 (20 °C) | | |
| Melting Point (°C) | No additional data available | | |
| Boiling Point (°C) | No additional data available | | |
| Vapour Pressure | No additional data available | | |
| Solubility in Water @20°C | Insoluble in water. | | |
| Auto-ignition | No additional data available | | |
| temperature (°C) | | | |
| 9.2 Other information | | | |
| No additional data av | vailable. | | |

10. STABILITY AND REACTIVITY

| 10.1 Reactivity |
|--|
| No dangerous reactions known. |
| 10.2 Chemical stability |
| Stable under normal operating conditions. |
| 10.3 Possible hazardous reactions |
| Hazardous Polymerization: It does not undergo any dangerous reactions under normal conditions. |
| 10.4 Conditions to Avoid |
| Heat, flames and other sources of ignition. No special precautions other than good housekeeping of chemica |
| 10.5 Incompatible materials |
| Oxidizing mineral acids, strong reducing agents, strong oxidizing agents. |
| 10.6 Hazardous Decomposition Products |
| Carbon monoxide and other unidentified organic compounds may be formed upon combustion. |

11. TOXOLOGICAL INFORMATION

| Acute Toxicity | No data available |
|---|---|
| Skin corrosion / irritation | May be irritating to skin |
| Serious eye damage / irritation | May be irritating to eyes. Prompt rinsing and removal of the substance will avoid damage. |
| Respiratory or skin sensitization | Breathing high concentrations of vapor may cause anesthetic effects. |
| Germ Cell Mutagenicity | Not listed as mutagenic |
| Carcinogenicity | Not listed as carcinogenic |
| Reproductive toxicity | Not listed as reprotoxic |
| STOT-single exposure | No data available |
| STOT-repeated exposure | No data available |
| Aspiration hazard | Not Specified |
| Photo-toxicity | Not listed as photo-toxic |
| Other Information | No additional data available |
| 11.2 Information on the likely route | es of exposure |
| Skin/scalp contact. | |
| 11.3 Symptoms related to the phys | ical, chemical, and toxicological characteristics |
| None known. Irritation of the eye if ex | posed. Redness of the skin if irritated |
| 11.4 Delayed and immediate effect | s and chronic effects from short-term and long-term exposure |

12. ECOLOGICAL INFORMATION

| 12.1 Toxicity | |
|---|--|
| May be toxic to aquatic organism may cause long any pollution of ground, surface or underground | -term adverse effects in the aquatic environment. Avoid water. |
| 12.2 Persistence & degradability | |
| No data available | |
| 12.3 Bioaccumulation Potential | |
| No data available | |
| 12.4 Mobility in soil | |
| Not determined | |
| 12.5 Results of PBT and vPvB Assessment | |
| No data available | |
| 12.6 Other adverse effects | |
| Do not allow product to enter streams, sewers or | other waterways. |

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Containers must be disposed of as hazardous waste. Do not reuse empty containers. Dilute the remaining material and neutralise. Empty residue into a suitable disposal site. Dispose of in accordance with all state and local environmental regulations. This material and its container must be disposed of in a safe way.

14. TRANSPORT INFORMATION

| 14.1 | UN number | | | |
|--|--|-------------------------------|--|--|
| | UN No. Road | 1169 | | |
| | UN No. SEA | 1169 | | |
| | UN No. AIR | 1169 | | |
| 14.2 | 2 UN proper shipping name | | | |
| | Liquid, aromatic, extract | | | |
| 14.3 | 3 Transport hazard class(es) | | | |
| | ADR/RID/ADN Not regulated for transport | | | |
| A | ADR/RID/ADN Class -3 | | | |
| | IMDG Class -3 | | | |
| | ICAO Class/Division -3 | | | |
| 14.4 | Packing group | | | |
| | | p Not regulated for transport | | |
| | IMDG Packing group -3 | | | |
| W. | ICAO Packing group -3 | | | |
| 14.5 | Environmental hazards | | | |
| 1 | Do not allow to escape into environment, especially not into waterways, sewers or the sea. | | | |
| 14.6 | Special precautions for | user | | |
| N. | EMS: Not allocated | | | |
| | Emergency Action Code: No | | | |
| | Hazard No. (ADR): Not alloc | | | |
| | Tunnel Restriction Code (E) | | | |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78° and IBC Code | | | | |
| | N/A | | | |
| | | | | |

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

WHMIS (Canada): Class D2B/B3 - Combustible liquid with flash point between 37.8°C (100°F) and 93.3°C (200°F).

HMIS (USA): Health Hazard - 3 Fire Hazard - 2 Reactivity - 0 Classification according to EC 1207/2008 (CLP): H226: Flammable liquid and vapour H315: Causes skin irration H317: May cause an allergic skin reaction H304: May be fatal if swallowed and enters airways H410: Very toxic to aquatic life with long lasting effects.

15.2 Chemical safety assessment

No additional information available.

16. OTHER INFORMATION

| Hazard and/or Precautionary Statements in Full | H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. |
|---|--|
| Other Information | None found |

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

