

# VENKATRAMNA INDUSTRIES

Manufacturer & Exporter of All kinds of Oils, i.e.: Natural & Organic Essential Oil, Attars, Perfumes, Absolutes & Floral Waters, Spice Oils and Peppermint Products

An ISO 9001:2008 & ISO 22000:2005 Certified Company
IEC No.: 0611008513 GST No.: 09AVOPS2676K1ZN
Manufacturing Plant.: Talaya Chauki, Kannauj-209725, India
Corporate Office.: C1-310, MIG Indira Nagar, Kanpur-208026, India



Page 1 of 6

MATERIAL SAFETY DATASHEET		
Date of Issue: 20/01/2020	Document No: VRI/MSDS/01-175	
Revision Date: 11/07/2020	Revision No: 01	

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION & THE COMPANY/UNDERTAKING

1.1 Product Identifier					
Product Name		Bitter Orange Essential Oil			
Biological Definition		Citrus Aurantium Amara Peel Extract is an extract of the peel of the			
		Bitter Orange, Citrus aurantium L. var. amara L., Rutaceae			
INCI Name		Citrus aurantiu	Citrus aurantium		
Synonyms & Trade Nam	nes	Neroli Essentia	Neroli Essential oil, Petitgrain Essential Oil		
CAS-No 68916-04-1 / 72968-50-4		EC No.	277-143-2	EINECS No.	N/A
1.2 Relative identified uses of the substance or mixture and uses advised against					
Industrial uses. Formula	tion [mixing] of pro	eparations. Uses a	advised against: Ot	ther uses than thos	e recommended.
1.3 Details of the supplier of the safety data sheet					
VENKATRAMNA INDUSTRIES, Talaya Chauki, Kannauj-209725, (UP) INDIA					
1.4 Emergency Tel. No. +91-9554075786					

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classification according to the Regulation (EC) No 1272/2008.

Sensitization — Skin, Hazard Category 1; H317.

#### 2.2 Label Elements

Signal Word	Warning
<u>(!)</u>	

#### **Hazard Statements**

H317: May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary Statements**

P102 - Keep out of the reach of children.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves. P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to an approved waste disposal plant.

**Supplementary Precautionary Statements** 

- - -

#### 2.3 Other Hazards

May cause skin irritation/allergy. Patch test recommended.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Citrus Oil 100% by weight

# 4. FIRST AID MEASURES

4.1 Description of first aid measures		
Inhalation	Remove person to fresh air and keep at rest	
Ingestion	If swallowed, rinse mouth with water. Seek medical advice immediately and show this container or label. Do NOT induce vomiting.	
Skin Contact	Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.	
Eye Contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.	

### 4.2 Most important symptoms and effects, both acute and delayed

Eye contact: May cause eye irritation and corneal damage if not immediately rinsed out.

Skin Contact: Repeated contact may cause allergic dermatitis.

Inhalation: Breathing high concentrations of vapor may cause anesthetic effects.

Ingestion: Do Not Induce vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical assistance : see point 4.1 Immediate / special treatment : see point 4.1

First aid specific means: eye wash fountain, safety shower should be available in the work area.

# 5. FIRE-FIGHTING MEASURES

5.1	Extinguishing Media
	Carbon dioxide, dry chemical powder or appropriate foam. For safety reasons do not use full water jet
5.2	Special hazards arising from the product
	Vapours may form explosive mixture with air – in case of fire, the following can be released: Carbon monoxide, Carbon dioxide, smoke, soot.
5.3	Advice for firefighters
	Use chemical protection clothing and self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures For non emergency personnel: in an emergency (i.e. unintentional important release of the product in enclosed space) respiratory protection (Gas filter A, Colour code brown: consider the maximum duration for wear)must be worn. Use insulating device for respiratory protection with an independent air supply in circumstances which are unclear - use adequate protections solvent resistant: security shoes, bodysuit, gloves and protective goggles (see point 8). For emergency responders: as per non emergency personnel. Emergency procedures: remove any ignition source and ensure adequate ventilation in working areas following accidental releases. 6.2 **Environmental Precautions** Avoid contaminating the environment via the sewers or water sources. 6.3 Methods and material for containment and cleaning up. Keep away from heat and use non-combustible absorbing sawdust (sand, specific binder). Refer to point 13 for the appropriate methods of waste treatment.

# 7. HANDLING AND STORAGE

Reference to other sections

See also sections 8 and 13.

6.4

7.1	Precautions for safe handling
	Keep away from food, drink and animal feeding stuffs. Do not smoke. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice.
7.2	Conditions for safe storage, including any incompatibilities
	Keep the product in its original container well sealed, in a dry and ventilated area, away from potential sources of ignition and protected from light. Store in accordance with local/national regulations and follow the warnings on the label.
7.3	Specific end use(s)
	Use as odor agent / flavoring agent - the information of this section are not related to the use of the product in combination with any other material or any other process altering its characteristics.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Declaration of substances is not required

8.2 Exposure controls

**Protective Equipment** 







**Process Conditions** 

Provide eyewash station.

Engineering Measures	Provide adequate ventilation.
Respiratory Equipment	For high concentrations use respiratory equipment.
Hand Protection	Chemical resistant gloves (PVC)
Eye Protection	Wear approved safety goggles.
Other Protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene Measures	Good personal hygiene practices are always advisable, especially when working with chemicals / oils.
Personal Protection	Use personal protection according to Directive 89/686/EEC.
Skin Protection	Wear apron or protective clothing in case of splashes.
Environmental Exposure Controls	Avoid discharging into drainage water. Only eliminate by authorized companies.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

0.1 Information on basis physical and shamical properties			
9.1 Information on basic physical and chemical properties			
Appearance	Clear Liquid		
Colour	Pale Yellowish Orange		
Odour	Citrus		
Relative Density	0.863 - 0.873 g/cm³ (20 °C)		
Flash Point (°C)	57 °C		
Refractive Index	1.425 - 1.470 (20 °C)		
Melting Point (°C)	No additional data available		
Boiling Point (°C)	No additional data available		
Vapour Pressure	No additional data available		
Solubility in Water @20°C	Insoluble in water.		
Auto-ignition temperature (°C)	No additional data available		
9.2 Other information			
No additional data available.			

# 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

No dangerous reactions known.

# 10.2 Chemical stability

Stable under normal operating conditions.

#### 10.3 Possible hazardous reactions

Hazardous Polymerization: It does not undergo any dangerous reactions under normal conditions.

#### 10.4 Conditions to Avoid

Heat, flames and other sources of ignition. No special precautions other than good housekeeping of chemicals.

#### 10.5 Incompatible materials

Oxidizing mineral acids, strong reducing agents, strong oxidizing agents.

# 10.6 Hazardous Decomposition Products

# 11. TOXOLOGICAL INFORMATION

11.1 Information on toxicological effects			
Acute Toxicity	This substance does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008		
Skin corrosion / irritation	May be irritating to skin		
Serious eye damage / irritation	May be irritating to eyes. Prompt rinsing and removal of the substance will avoid damage.		
Respiratory or skin sensitization	Breathing high concentrations of vapor may cause anesthetic effects.		
Germ Cell Mutagenicity	Not listed as mutagenic		
Carcinogenicity	Not listed as carcinogenic		
Reproductive toxicity	Not listed as reprotoxic		
STOT-single exposure	No data available		
STOT-repeated exposure	No data available		
Aspiration hazard	Not Specified		
Photo-toxicity	Not listed as photo-toxic		
Other Information	No additional data available		
11.2 Information on the likely routes of exposure			
Skin/scalp contact.			

11.3 Symptoms related to the physical, chemical, and toxicological characteristics

None known. Irritation of the eye if exposed. Redness of the skin if irritated

11.4 Delayed and immediate effects and chronic effects from short-term and long-term exposure

No Data Available

# 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Aquatic life: hazard statement: H410 very toxic to aquatic life with long lasting effects.

Algae/aquatic plants: EC50 6.2 mg/l (48h) calculated value [source RIFM].

Fish/aquatic invertebrates: No additional data available.

PNECs: No additional data available.

#### 12.2 Persistence & degradability

This substance to be considered as a readily biodegradable substance; based on its ready biodegradability, oil does not fulfil the criteria for persistence.

#### 12.3 Bioaccumulation Potential

Hazard statement: H410 very toxic to aquatic life with long lasting effects.

#### 12.4 Mobility in soil

This substance is considered as a readily biodegradable NCS. Based on the ready biodegradability of the NCS, simulation tests in surface water, sediment and soil are not required in accordance with column 2 of REACh Annex IX.

#### 12.5 Results of PBT and vPvB Assessment

No data available

#### 12.6 Other adverse effects

Do not allow product to enter streams, sewers or other waterways.

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Containers must be disposed of as hazardous waste. Do not reuse empty containers. Dilute the remaining material and neutralise. Empty residue into a suitable disposal site. Dispose of in accordance with all state and local environmental regulations. This material and its container must be disposed of in a safe way.

# 14. TRANSPORT INFORMATION

14.1	UN number		
	UN No. Road	1169	
//	UN No. SEA	1169	
	UN No. AIR	1169	
14.2	UN proper shipping nar	ne	
	Extracts, aromatic, liquid		
14.3	Transport hazard class(	es)	
	ADR/RID/ADN Not regulate	d for transport	
	ADR/RID/ADN Class - 3 IMDG Class - 3 ICAO Class/Division - 3		
14.4	Packing group		
	ADR/RID/ADN Packing group -3 IMDG Packing group - 3 ICAO Packing group - 3		
14.5	Environmental hazards		
	Do not allow to escape into environment, especially not into waterways, sewers or the sea.		
14.6	Special precautions for user		
	EMS: Not allocated Emergency Action Code: Not Hazard No. (ADR): Not alloc Tunnel Restriction Code (E)	ated	
14.7	14.7 Transport in bulk according to Annex II of MARPOL 73/78° and IBC Code		
	N/A		

# 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Statutory Instruments**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

#### **Guidance Notes**

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

#### **EU Legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

#### 15.2 Chemical safety assessment

No additional information available.

#### 16. OTHER INFORMATION

H226 flammable liquid and vapour.	
H304 may be fatal if swallowed and enters airways.	
H315 causes skin irritation.	
H317 may cause an allergic skin reaction.	
H410 very toxic to aquatic life with long lasting effects.	
None found	

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Mail.: info@vriaroma.com Web.: www.vriaroma.com Mob & Whatsapp.: +91-9554075786